ELSEVIER

Journal of Hydrology 270 (2003) 352–353

Journal of Hydrology

www.elsevier.com/locate/jhydrol

Contents of Volume 270

Vol. 270 Nos. 1–2 **January 10, 2003**

Estimation models for precipitation in mountainous regions: the use of GIS and multivariate analysis
Jorge Marquínez, Javier Lastra and Pilar García 1

Low flow and high flow responses to converting natural grassland into bluegum (*Eucalyptus globulus*) in Nilgiris watersheds of South India
A.K. Sikka, J.S. Samra, V.N. Sharda, P. Samraj and V. Lakshmanan 12

Salinity sources of Kefar Uriya wells in the Judea Group aquifer of Israel. Part 1—conceptual hydrogeological model
D. Avisar, E. Rosenthal, A. Flexer, H. Shulman, Z. Ben-Avraham and J. Guttman 27

Salinity sources of Kefar Uria wells in the Judea group aquifer of Israel. Part 2—quantitative identification model
A.H. Mandell, D.G. Zeitoun and G. Dagan 39

Comparison of finite difference and finite element solutions to the variably saturated flow equation
M.J. Simpson and T.P. Clement 49

Chloride profile technique to estimate water movement through unsatured zone in a cropped area in subhumid climate (Po Valley—NW Italy)
Stefano Lo Russo, Laura Zavattaro, Marco Acutis and Gian Maria Zuppi 65

Isotopic composition of precipitation in Italy: a first overall map
Longinelli A. and Selmo E. 75

Change in groundwater chemistry as a consequence of suppression of floods: the case of the Rhine floodplain
J.M. Sánchez-Pérez and M. Trémolières 89

A global hydrological model for deriving water availability indicators: model tuning and validation
Petra Döll, Frank Kaspar and Bernhard Lehner 105

Use of seasonal streamflow forecasts in water resources management
F.H.S. Chiew, S.L. Zhou and T.A. McMahon 135

Application of hydrological models with increasing complexity to subarctic catchments
Sandra van der Linden and Ming-ko Woo 145

Estuary water-stage forecasting by using radial basis function neural network
Fi-John Chang and Yen-Chang Chen 158

Vol. 270 Nos. 3–4 **January 31, 2003**

A desktop model used to provide an initial estimate of the ecological instream flow requirements of rivers in South Africa
Denis A. Hughes and Pauline Hannart 167

Transferability of hydrological model parameters between basins in data-sparse areas, subarctic Canada
Sandra van der Linden and Ming-ko Woo 182

Relative effects of multi-decadal climatic variability and changes in the mean and variability of climate due to global warming: future streamflows in Britain
Nigel W. Arnell 195

Focused infiltration of snowmelt water in partially frozen soil under small depressions
Masaki Hayashi, Garth van der Kamp and Randy Schmidt 214

Water flux estimates from a Belgian Scots pine stand: a comparison of different approaches
L. Meiresonne, D.A. Sampson, A.S. Kowalski, I.A. Janssens, N. Nadezhdina, J. Cermák, J. Van Slycken and R. Ceulemans 230

Before and after riparian management: sediment and nutrient exports from a small agricultural catchment, Western Australia
Lucy A. McKergow, David M. Weaver, Ian P. Prosser, Rodger B. Grayson and Adrian E.G. Reed 253

Watershed modeling of rainfall excess transformation into runoff
Mohammad Reza Najafi 273

PII: S0022-1694(02)00384-0

ELSEVIER

Journal of Hydrology 270 (2003) 352–353

Journal of Hydrology

www.elsevier.com/locate/jhydrol

Contents of Volume 270

Vol. 270 Nos. 1–2 **January 10, 2003**

Estimation models for precipitation in mountainous regions: the use of GIS and multivariate analysis
Jorge Marquínez, Javier Lastra and Pilar García 1

Low flow and high flow responses to converting natural grassland into bluegum (*Eucalyptus globulus*) in Nilgiris watersheds of South India
A.K. Sikka, J.S. Samra, V.N. Sharda, P. Samraj and V. Lakshmanan 12

Salinity sources of Kefar Uriya wells in the Judea Group aquifer of Israel. Part 1—conceptual hydrogeological model
D. Avisar, E. Rosenthal, A. Flexer, H. Shulman, Z. Ben-Avraham and J. Guttman 27

Salinity sources of Kefar Uria wells in the Judea group aquifer of Israel. Part 2—quantitative identification model
A.H. Mandell, D.G. Zeitoun and G. Dagan 39

Comparison of finite difference and finite element solutions to the variably saturated flow equation
M.J. Simpson and T.P. Clement 49

Chloride profile technique to estimate water movement through unsatured zone in a cropped area in subhumid climate (Po Valley—NW Italy)
Stefano Lo Russo, Laura Zavattaro, Marco Acutis and Gian Maria Zuppi 65

Isotopic composition of precipitation in Italy: a first overall map
Longinelli A. and Selmo E. 75

Change in groundwater chemistry as a consequence of suppression of floods: the case of the Rhine floodplain
J.M. Sánchez-Pérez and M. Trémolières 89

A global hydrological model for deriving water availability indicators: model tuning and validation
Petra Döll, Frank Kaspar and Bernhard Lehner 105

Use of seasonal streamflow forecasts in water resources management
F.H.S. Chiew, S.L. Zhou and T.A. McMahon 135

Application of hydrological models with increasing complexity to subarctic catchments
Sandra van der Linden and Ming-ko Woo 145

Estuary water-stage forecasting by using radial basis function neural network
Fi-John Chang and Yen-Chang Chen 158

Vol. 270 Nos. 3–4 **January 31, 2003**

A desktop model used to provide an initial estimate of the ecological instream flow requirements of rivers in South Africa
Denis A. Hughes and Pauline Hannart 167

Transferability of hydrological model parameters between basins in data-sparse areas, subarctic Canada
Sandra van der Linden and Ming-ko Woo 182

Relative effects of multi-decadal climatic variability and changes in the mean and variability of climate due to global warming: future streamflows in Britain
Nigel W. Arnell 195

Focused infiltration of snowmelt water in partially frozen soil under small depressions
Masaki Hayashi, Garth van der Kamp and Randy Schmidt 214

Water flux estimates from a Belgian Scots pine stand: a comparison of different approaches
L. Meiresonne, D.A. Sampson, A.S. Kowalski, I.A. Janssens, N. Nadezhdina, J. Cermák, J. Van Slycken and R. Ceulemans 230

Before and after riparian management: sediment and nutrient exports from a small agricultural catchment, Western Australia
Lucy A. McKergow, David M. Weaver, Ian P. Prosser, Rodger B. Grayson and Adrian E.G. Reed 253

Watershed modeling of rainfall excess transformation into runoff
Mohammad Reza Najafi 273

PII: S0022-1694(02)00384-0

Hydrogeochemical and isotopic evidence of groundwater salinization in a coastal aquifer: a case study in Jeju volcanic island, Korea
Yongje Kim, Kwang-Sik Lee, Dong-Chan Koh, Dae-Ha Lee, Seung-Gu Lee, Won-Bae Park, Gi-Won Koh and Nam-Chil Woo... 282
Modelling metolachlor exports in subsurface drainage water from two structured soils under maize (eastern France)
Sandra Marie Novak, Olivier Banton and Michel Schiavon 295
Effect of potential evapotranspiration estimates on effective parameters and performance of the MIKE SHE-code applied to a medium-size catchment
R.F. Vázquez and J. Feyen..... 309
Impulse response of the kinematic diffusion model as a probability distribution of hydrologic samples with zero values
Witold G. Strupczewski, Stanislaw Weglarczyk and Vijay P. Singh..... 328